


20Lb. non-Express: 120 Volt Wiring Schematic




SCHEMATIC

115-1PH-60HZ

P/N 9506-012-001G
 18 OR 20 LB MICRO CONTROLLER, ORL
 DELTA VF DRIVE SYSTEM


20Lb. non-Express: 120 Volt Wiring Diagram




P/N 9506-013-001G
WC018 OR WC020, OPL, VF DRIVE

WIRING DIAGRAM 208-240V-3/1PH-60HZ

20Lb. Non-Express: 208-240V Wiring Schematic




20Lb.Non-Express: 208-240 Volt Wiring Diagram



P/N 9506-013-001G
W4018 OR W4020, OPT. VF DRIVE

WIRING DIAGRAM 208-240V-3/1PH-60HZ


20Lb. Express: 208-240 Wiring Schematic



SCHEMATIC - 208 - 240V, 3/1PH, 60HZ

P/N 9506-234-001B
18 OR 20 LB MICRO CONTROLLER -
OPL EXPRESS DELTA VF DRIVE SYSTEM

20Lb. Express: 208-240 Wiring Diagram



P/N 9506-235-001B
WC0018 OR WC0020, OPL EXPRESS, VF DRIVE

WIRING DIAGRAM 208-240V-3/1PH-60HZ